



1. Identification

Product identifier	MIZZOU CASTABLE PLUS	; MIZZOU CASTABLE PLUS W/F; MIZZOU CASTABLE PLUS H
Other means of identification		
Brand Code	5976, 454B, 4622, 715C	
Recommended use	For Industrial or Professiona	I Use Only
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	HarbisonWalker Internationa	al
Address	1305 Cherrington Parkway, Suite 100	
	Moon Township, Pennsylva	nia 15108 US
Telephone	General Phone:	412-375-6600
Website	www.thinkHWI.com	
Emergency phone number	CHEMTREC 24 HOUR EMERGENCY #	1-800-424-9300

2. Hazard(s) identification

Label elements

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



Signal word	Danger
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

3. Composition/information on ingredients

Mixtures

Chemical name Common name and s	ynonyms CAS number	%
Mullite	1302-93-8	50 - 70

Chemical name	Common name and synonyms	CAS number	%
Amorphous Silica	SILICA, AMORPHOUS, FUMED SILICA (CRYSTALLINE FREE)	7631-86-9	10 - 30
Aluminium Oxide (Non-Fibrous		1344-28-1	2.5 - 10
Cement, Alumina, Chemicals		65997-16-2	2.5 - 10
Cristobalite		14464-46-1	2.5 - 10
Fumes, Silica		69012-64-2	2.5 - 10
Kyanite		1302-76-7	2.5 - 10
Titanium Dioxide		13463-67-7	2.5 - 10
Quartz (SiO2)		14808-60-7	0.1 - 1
Other components below reportable levels			2.5 - 10

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible).
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Co Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Cristobalite (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
Quartz (SiO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.10) Components		Value	Form
-	Туре		
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Amorphous Silica (CAS 7631-86-9)	TWA	0.8 mg/m3	
,		20 mppcf	
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
Fumes, Silica (CAS 69012-64-2)	TWA	0.8 mg/m3	
		20 mppcf	
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Titanium Dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

Components	Туре	Value	Form
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Amorphous Silica (CAS 7631-86-9)	TWA	6 mg/m3	
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Fumes, Silica (CAS 69012-64-2)	TWA	6 mg/m3	
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted	for the ingredient(s).	
Exposure guidelines	Occupational exposure to nuisance should be monitored and controlled. and respirable crystalline silica shou	Occupational exposure to nuisa	
Appropriate engineering controls	Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to main exposure limits have not been estable engineering measures are not suffic Occupational Exposure Limit (OEL), ground, cut, or used in any operation ventilation to keep exposures below	applicable, use process enclosu ntain airborne levels below reco lished, maintain airborne levels ient to maintain concentrations suitable respiratory protection r n which may generate dusts, use	res, local exhaust ventilation, mmended exposure limits. If to an acceptable level. If of dust particulates below the nust be worn. If material is e appropriate local exhaust
-	s, such as personal protective equipr		
Eye/face protection	Chemical respirator with organic vap	oor cartridge, full facepiece, dus	and mist filter.
Skin protection Hand protection	Wear appropriate chemical resistant	t gloves.	
Other	Wear appropriate chemical resistant	t clothing. Use of an impervious	apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved resp exceeding the exposure limits.	irator if there is a risk of exposu	re to dust/fume at levels
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Powder.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.

Flammability (solid, gas)	Not available.
Upper/lower flammability or explo	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Acids Chlorine Eluorine

Incompatible materialsAcids. Chlorine. Fluorine.
Incompatibility is based strictly upon potential theoretical reactions between chemicals and may
not be specific to industrial application exposure.Hazardous decomposition
productsNo hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Dust or powder may irritate the skin.	
Eye contact	Dust may irritate the eyes.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the respiratory tract, skin and eyes.	
Information on toxicological effects		
Acute toxicity	Not known.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	

Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.		
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
Amorphous Silica (CAS 7 Cristobalite (CAS 14464-4 Fumes, Silica (CAS 69012 Quartz (SiO2) (CAS 1480 Titanium Dioxide (CAS 13 OSHA Specifically Regulate	46-1) 2-64-2) 8-60-7)	 3 Not classifiable as to carcinogenicity to humans. 1 Carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans. 1 Carcinogenic to humans. 2B Possibly carcinogenic to humans. 001-1052) 	
Cristobalite (CAS 14464-4		Cancer	
Quartz (SiO2) (CAS 1480		Cancer	
	gram (NTP) Report on Carcin	ogens	
Cristobalite (CAS 14464-4		Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen.	
Quartz (SiO2) (CAS 1480		Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.	
Developmental effects Quartz (SiO2) Developmental effects -	FUlcategory	0	
Quartz (SiO2) Embryotoxicity	Locategory	0	
Quartz (SiO2)		0	
Reproductivity		_	
Quartz (SiO2)		0	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Causes damage to organs three	ough prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Causes damage to organs thre harmful. Prolonged exposure r	ough prolonged or repeated exposure. Prolonged inhalation may be may cause chronic effects.	
12. Ecological information			
•		s environmentally bazardous. However, this does not exclude the	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability		gradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation , global warming potential) are expected from this component.	
13. Disposal consideration	IS		
Disposal instructions	This product, in its present sta according to Federal regulatio	te, when discarded or disposed of, is not a hazardous waste ns (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the ne, at the time of disposal, whether the product meets RCRA criteria	

Hazardous waste code			s, no Waste Code can be provided by the supplier. Ingement with your waste disposal partner or the	
Waste from residues / unused products	Not available.			
Contaminated packaging	Not available.			
14. Transport information				
DOT				
Not regulated as dangerous goods.				
Not regulated as dangerous g IMDG	oods.			
Not regulated as dangerous g				
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.			
15. Regulatory information	ı			
US federal regulations		1200. All chemical sub	fined by the OSHA Hazard Communication bstances in this product are listed on the TSCA	
TSCA Section 12(b) Export I	Notification (40 CFR 707,	Subpt. D)		
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)			
Not listed. SARA 304 Emergency releas	se notification			
Not regulated. OSHA Specifically Regulate	d Substances (29 CFR 19	910.1001-1052)		
Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Cristobalite (CAS 14464-46-1)		Cancer Cancer lung effects lung effects immune system effects immune system effects kidney effects		
Quartz (SiO2) (CAS 1480		kidney effects		
Superfund Amendments and Re SARA 302 Extremely hazard		6 (SARA)		
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Carcinogenicity Specific target organ tox	icity (single or repeate	ed exposure)	
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.	
Aluminium Oxide (Non-Fi	brous)	1344-28-1	2.5 - 10	
Other federal regulations				
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List				
Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)				
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			

California Proposition 65



WARNING: This product can expose you to chemicals including Titanium Dioxide: Titanium Dioxide: Titanium Dioxide: Titanium Dioxide: Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz (SiO2) (CAS 14808-60-7)	Listed: October 1, 1988	
Titanium Dioxide (CAS 13463-67-7)	Listed: September 2, 2011	
US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))		

Cristobalite (CAS 14464-46-1) Quartz (SiO2) (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-26-2019
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.