

Date Prepared: 04-Nov-2013 Revised: New Issue SDS ID: Minspar 200\_GHS\_001

Sold and distributed by IMERYS Ceramics



## HMIS Ratings

Health Hazard2Fire Hazard0Reactivity Hazard0Max. Personal ProtectionE

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

0

0

## SAFETY DATA SHEET

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product trade name(s): Common Name(s): Chemical Formula: CAS Number: Physical Form:	Minspar 200 Feldspar (Na, K, Ca)AlSi <sub>3</sub> O <sub>8</sub> 68476-25-5 White to tan granules to powder		
Recommended Uses:	Non-exhaustive list: Ceramics, ceramic glazes, fiberglass compositions, industrial filler, extender, for paper, rubber, paint, caulks/adhesives		S,
Restrictions on Use:	Food ingredient, cosmetic ingredient		
Manufacturer's Name & Address:	The Quartz Corp USA 8342 South 226 Bypass Spruce Pine, NC 28777	Telephone: Fax: Customer Service:	828-765-9621 828-765-6304 800-765-8997
Emergency Telephone:	For Chemical Emergency Call CHEMT (US, Canada, Puerto Rico, Virgin Islands) 1-703-527-3887 (Outside Above Area) co	. ,	424-9300

## **SECTION 2: HAZARDS IDENTIFICATION**

# Contains Crystalline Silica ≥1% ≤10% Respirable

Classification:	Eye Damage/Irritation Skin Corrosion/Irritation	Category 2 Category 2
	Specific Target Organ Toxicity - Single Exposure Specific Target Organ Toxicity - Repeated Exposu Carcinogenicity	Category 3 - Respiratory Category 1 - Respiratory Category 1a
Label Elements:	Signal Word: WARNING	
Hazard Statements:	H373: May cause damage to lung through prolo	nged or repeated inhalation.
Precautionary Statements:	<b>P260:</b> Do not breathe dust. <b>P285</b> : In case of inadequate ventilation wear respiratory protection. <b>P501</b> : Dispose of contents/containers in accordance with local regulation.	
www.l.agupaclay.com	800-452-4862 in	fo@lagunaclay.com

www.Lagunaclay.com

800-452-4862

1 of 9

info@lagunaclay.com

Product Name:	Minspar 200
SDS ID:	Minspar 200_GHS_001

#### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Ingredient	Weight % (Approx.)	CAS N°	EINECS N°
Feldspar	90%	68476-25-5	270-666-7
Quartz - Crystalline Silica	10%	14808-60-7	238-878-4

#### **SECTION 4: FIRST AID MEASURES**

#### Inhalation

If adverse effects occur, get immediate medical attention. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Give artificial respiration if needed.

## Skin

Wash immediately with soap and water. Get medical attention if irritation develops or persists.

#### Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention.

## Ingestion

DO NOT induce vomiting. If swallowed, drink plenty of water, do NOT induce vomiting. Never make an unconscious person vomit or drink fluids. Get medical attention.

## Symptoms: Immediate

eye irritation, skin irritation, respiratory tract irritation

Symptoms: Delayed

gastrointestinal effects

#### **SECTION 5: FIREFIGHTING MEASURES**

#### **Flammable Properties**

Product is non-flammable.

Use extinguishing agents appropriate for surrounding fire.

## Unsuitable Extinguishing Media

None known.

#### **Protective Equipment and Precautions for Firefighters**

No hazard is expected from the normal use of this product.

### Fire Fighting Measures

No hazard expected

NFPA 704M Hazard Classification:

Health: 2

Flammable: 0

Reactivity: 0

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### **Personal Precautions**

Keep unnecessary people away, isolate hazard area and deny entry. Wet material is slippery under foot. Wear personal protective clothing and equipment, see Section 8.

#### Environmental Precautions

Avoid release to the environment.

### **Cleanup Methods**

Collect spilled material in appropriate container for reuse or disposal.

#### **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Avoid dust generation and accumulation. Do not use in poorly ventilated or confined spaces. Do not taste or swallow. Avoid inhalation or contact. Wash thoroughly after handling.

## **Conditions for Safe Storage**

Store in a cool, dry place. Store in a well-ventilated area.

Product Name:	Minspar 200
SDS ID:	Minspar 200_GHS_001

## **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### **Exposure Guidelines:**

Follow standard occupational hygiene control methods and procedures. Use an approved respirator if exposure limits are exceeded or if exposure limits are limits are exceeded or if irritation develops or persists.

## **Component Exposure Limits:**

Hazardous Ingredient	Weight % (Approx.)	CAS N°	OSHA PEL*	ACGIH TLV*
Feldspar	90%	1332-58-7	15 mg/m <sup>3</sup> (Total Dust) 5 mg/m <sup>3</sup> (Respirable Fraction)	2 mg/m <sup>3</sup> (Respirable Fraction)
Quartz - Crystalline Silica (Respirable Fraction < 1%)	10%	14808-60-7	0.1mg/m <sup>3</sup> (Respirable Fraction)	0.025 mg/m <sup>3</sup> (Respirable Fraction)

\* Unless otherwise noted, all PEL and TLV are reported as 8 hour time weighted average (TWA).

#### **Component Analysis**

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Ventilation: Use exhaust ventilation, if required, to maintain dust concentration below recommended exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT

**Respiratory Protection:** Where there is potential for airborne exposure, use of a MSHA/NIOSH or OSHA/NIOSH approved respirator is recommended.

**Eyes/Face:** Wear side shield safety glasses or chemical resistant safety goggles.

Glove Recommendation: Rubber gloves are recommended for prolonged exposure.

**Protective Clothing:** Wear appropriate chemical resistant clothing. Contaminated clothing should be removed and laundered before reuse.

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Solid Color: white to tan Odor: Odorless pH: 4-6 (aqueous solution) Boiling Point: Not applicable Decomposition: None LEL: Not applicable Vapor Pressure: Not applicable Density Not applicable Water Solubility: None Auto Ignition: Will not ignite Flow Point: Not applicable VOC: None Appearance: white to tan solid Physical Form: powder to granule Odor Threshold: Not applicable Melting Point: 1100-1450°C Flash Point: Will not ignite Evaporation Rate: Not applicable UEL: Not applicable Vapor Density (air = 1): Not applicable Specific Gravity (water = 1): ~2.6 gm/cc Coeff> Water/Oil Dist: Not applicable Viscosity: Not applicable Sublimation Point: Not applicable

## SECTION 10: STABILITY AND REACTIVITY

#### Reactivity:

No reactive hazard is expected.

#### **Chemical Stability:**

Stable at normal temperatures and pressure

**Possibility of Hazardous Reactions:** 

Will not oxidize or polymerize.

Conditions to avoid:

None known.

## Materials to Avoid (Incompatibilities):

None known.

#### **Decomposition Products:**

When exposed to high temperatures, free quartz can change crystal structure to form tridymite (above 870°C) or cristobalite (above 1470°C) which have greater health hazards than quartz. (Tridymite and cristobalite (TWA-TLV) =  $0.025 \text{ mg/m}^3$ .)

## SECTION 11: TOXICOLOGICAL INFORMATION

#### Primary Route of Exposure: Skin, Eye Contact, Inhalation and Ingestion

## Acute Health Hazards:

Eye contact may cause mechanical irritation.

Skin contact may aggravate existing dermatitis.

Inhalation from prolonged and continuous exposure to excessive quantities of dust may aggravate existing asthmatic or respiratory conditions.

#### Acute and Chronic Toxicity

May cause eye irritation, skin irritation, respiratory tract irritation, and gastrointestinal tract irritation. May cause damage to respiratory tract through prolonged or repeated exposure.

Exposure to quartz (the most stable and common form of crystalline silica) is responsible for the majority of clinically diagnosed silicosis. Silicosis is a fibronodular lung disease that occurs after occupational exposure to crystalline silica for 5 years or longer. Inhalation of quartz dusts may cause shortness of breath, limitation of chest expansion, dry cough, and a lessened capacity for work. Individuals with a pre-existing disease in, or a history of ailments involving the skin or respiratory tract, are at greater risk for developing adverse health effects when exposed to this material.

In humans, chronic intermittent exposure to quartz caused pulmonary fibrosis, cough, and difficulty breathing. Overexposure to crystalline silica may cause silicosis, a form of disabling, progressive, and sometimes fatal pulmonary fibrosis characterized by the presence of typical nodulation in the lungs. Tuberculosis frequently complicates silicosis and the risk for tuberculosis is also increased in workers exposed to silica who have no radiographic evidence of silicosis. Crystalline silica can cause silicotic lesions in such organs as the liver, spleen and bone marrow. In humans, a causal relationship exists between exposure to crystalline silica and the development of autoimmune diseases. In multi-dose studies with animals, long term inhalation of quartz affected the lungs, endocrine system, immune system and blood.

This product contains quartz (respirable) as an impurity. Prolonged and/or massive exposure to respirable crystalline silica-containing dust may cause silicosis, a nodular pulmonary fibrosis caused by deposition in the lungs of fine respirable particles of crystalline silica. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However it pointed out that not all industrial circumstances, nor all crystalline silica types, were to be incriminated. (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibers, 1997, Vol. 68, IARC, Lyon, France.)

Product Name:	Minspar 200
SDS ID:	Minspar 200_GHS_001

## Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

#### Quartz - Crystalline Silica (14808-60-7)

Oral LD50 Rat 500 mg/kg

#### Irritation/Corrosivity Data

May cause eye irritation, skin irritation, respiratory tract irritation, and gastrointestinal tract irritation.

## **Respiratory Sensitizer**

No test data available

## Dermal Sensitizer

No test data available

## Carcinogenicity

#### **Component Carcinogenicity**

#### Feldspar - CAS N° 68476-25-5

ACGIH: A4 - Not Classifiable as a Human Carcinogen

#### Quartz - Crystalline Silica - CAS Nº 14808-60-7

ACGIH: A2 - Suspected Human Carcinogen IARC: Group 1 - Carcinogenic to humans

#### **Mutagenic Data**

No information available

## **Reproductive Effects Data**

No information available

## Specific Organ Toxicity - Single Exposure

Target organs include ears, skin, respiratory system, and gastrointestinal tract.

## Specific Organ Toxicity - Repeated Exposure

Causes damage to eyes, skin, respiratory system, and gastrointestinal tract through prolonged or repeated exposure.

## Aspiration Hazard

No data available

## Medical Conditions Aggravated by Exposure

Individuals with pre-existing eye disorders, skin disorders, respiratory disorders and/or gastrointestinal disorders may have increased susceptibility to the effects of exposure.

## SECTION 12: ECOLOGICAL INFORMATION

#### Ecotoxicity

No information available for the product **Component Analysis - Aquatic Toxicity** No LOLI ecotoxicity data are available for this product's components No information available for the product **Bioaccumulation** No information available for the product **Bioconcentration** This material is not believed to bioconcentrate Biodegradation This product is made from a naturally occurring, abundant, innocuous mineral Persistence This product is made from a naturally occurring, abundant, innocuous mineral Mobility in Soil: This product is insoluble in water Results of PBT and vPvB Assessment Not relevant **Other Toxicity** May affect turbidity if discharged in large quantities to lakes, streams or sewers.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Non-hazardous waste - RCRA (40 CFR 261)

Dispose of waste materials in accordance with all local, state, and Federal requirements. This product may not be disposed of in waterways or sewers.

## **SECTION 14: TRANSPORT INFORMATION**

EPA Waste Number: Not regulated. DOT Classification: Not regulated. IMO Classification: Not regulated. Internal UN: Not regulated. IMDG Code: This product is not considered to be a marine pollutant.

Product Name: Minspar 200 SDS ID: Minspar 200\_GHS\_001

## **SECTION 15: REGULATORY INFORMATION**

**SARA Title III Section 302 Extremely Hazardous Substances:** This product does not contain extremely hazardous subject to the reporting requirements of Section 302 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 355.

SARA Title III Section 311 and 312 Health and Physical Hazard Categories per 40 CFR 370.2:				
Immediate	Delayed	Fire	Pressure	Reactivity
Yes	Yes	No	No	No

**SARA Section 313 Notification:** This product does not contain toxic chemicals subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

TSCA: Product is listed in January 2010 inventory, ID# 43783

**CERCLA:** Feldspar is not a CERCLA listed hazardous substance.

**California Proposition 65:** WARNING: This product may also contain extremely small amounts of one or more naturally-occurring materials known to the State of California to cause cancer, birth defects, or other reproductive harm.

NJ Special Health Hazardous Substances List [4]: Not listed/regulated under.

PA Special Hazardous Substances List: Regulated under PA Code Chapter 323.

**Stockholm Convention:** This product is not subject to the Stockholm Convention.

**Montreal Protocol:** This product is not subject to the Montreal Protocol.

Rotterdam Convention: This product is not subject to the Rotterdam Convention.

National Inventories:

DSL (Canada): Listed NDSL (Canada): Not Listed PICCS (Philippines): Listed KECL (Korea): Listed ENCS (MITI) (Japan): Not explicitly listed under CAS number. AICS (Australia): Listed IECSC (China): Listed EINECS (Europe): Listed

**REACh Status:** Exempt (Annex v.7). Product is a naturally occurring mineral.

## **SECTION 16: OTHER INFORMATION**

## Training

Workers must be informed of the presence of crystalline silica and trained in the proper use and handling of this product as required under applicable regulations.

## Summary of Changes

New SDS 04-Nov-2013

ACGIH	American Conference of Governmental Industrial Hygienists	
AICS	Australian Inventory of Chemical Substances	
CAS	Chemical Abstract Service	
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act	
CFR	Code of Federal Regulations	
CHEMTREC	Chemical Transportation Emergency Center	
DOT	Department of Transportation	
DSL	Canadian Domestic Substances List	
EINECS	European Inventory of New and Existing Chemical Substances	
ENCS	Existing and New Substances Inventory	
EPA	Environmental Protection Agency	
FDA	Food and Drug Administration	
HMIS	Hazardous Materials Identification System	
IARC	International Agency for Research on Cancer	
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China	
IMDG	International Maritime Dangerous Goods Code	
IMO	International Maritime Organization	
KECI	Korean Existing Chemicals Inventory	
LEL	Lower Explosive Limit	
LOLI	List Of Lists	
МІТІ	Japanese Ministry of international Trade and Industry	
MSHA	Mine Safety and Health Administration	
NDSL	Canadian Non-Domestic Substance List	
NIOSH	National Institute of Occupational Safety and Health	
NFPA	National Fire Protection Agency	
OSHA	Occupational Health and Safety Administration	
РВТ	Persistent Bioaccumulative Toxic Chemical	
PEL	Permissible Exposure Limit	
PICCS	Philippine Inventory of Chemicals and Chemical Substances	
RCRA	Resource Conservation and Recovery Act	
REACh	Registration, Evaluation, Authorization and Restriction of Chemicals	
RTK	Right to Know	
SARA	Superfund Amendments and Reauthorization Act	
SDS	Safety Data Sheet	
STOT	Specific Target Organ Toxicity	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
UEL	Upper Explosive Limit	
UN	United Nations	
VOC	Volatile Organic Content	
vPvB	Very Powerful Very Bioaccumulative	
	- / /	

Product Name: Minspar 200 SDS ID: Minspar 200\_GHS\_001

Product Name:	Minspar 200
SDS ID:	Minspar 200_GHS_001

## Disclaimer

Such information is to the best of IMERYS knowledge and believed accurate and reliable as of the date indicated. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. IMERYS NORTH AMERICA CERAMICS MAKES NO WARRANTY WITH RESPECT HERETO AND DISCLAIMS ALL LIABILITY FROM RELIANCE THEREON.

IMERYS is a business name that includes Imerys North America Ceramics of which Kentucky-Tennessee Clay Company is a member. Registered in the USA. Registered office: 100 Mansell Court East, Suite 300, Roswell, GA 30076

**Prepared By:** Imerys North America Ceramics Technical Group.

END OF SHEET Minspar 200\_GHS\_001